

Panels



LED PANEL | 30CM X 30CM | WITH SPRINGS | 4000K



Ordercode: 174-034
Input: 230V
Power: 12 Watt
Color temperature: 4000K
Color: Natural White
Lumen: 1050
Beam: 120°

Length: 320 mm
Width: 320 mm
Depth: 16 mm
 (30 mm including springs)
Mounting hole: 295 x 295 mm
Wire length: 1,5 m
Connection type: Euro plug

Dimmable: Optional
 (with triac dimm. driver 215-250)
LED type: SMD 3014
IP rate: IP20
Carton Qty: 5

LED PANEL | 30CM X 30CM | WITH SPRINGS | 3000K



Ordercode: 174-033
Input: 230V
Power: 12 Watt
Color temperature: 3000K
Color: Warm White
Lumen: 970
Beam: 120°

Length: 320 mm
Width: 320 mm
Depth: 16 mm
 (30 mm including springs)
Mounting hole: 295 x 295 mm
Wire length: 1,5 m
Connection type: Euro plug

Dimmable: Optional
 (with triac dimm. driver 215-250)
LED type: SMD 3014
IP rate: IP20
Carton Qty: 5

LED PANEL | 60CM X 30CM | NATURAL WHITE

Primary dimmable (with triac dimm. driver)



Ordercode: 174-032
Input: 230V
Power: 23 Watt
Beam: 120°
Lumen: 1500

Color temperature: 4000K
Length: 595 mm
Width: 295 mm
Depth: 16 mm
Wire length: 2 m

Connection type: Euro plug
Dimmable: Yes
LED type: SMD 3014
IP rate: IP20
Carton Qty: 4

LED PANEL | 60CM X 60CM | 6000K | 34 WATT



Ordercode: 174-147
Input: 230V
Power: 34 Watt
Color temperature: 6000K
Color: Cold White
Lumen: 3500

Beam: 120°
Length: 595 mm
Width: 595 mm
Depth: 16 mm
Connection type: Euro plug

Dimmable: Optional
 (with triac dimm. driver 215-252)
LED type: SMD 3014
IP rate: IP20
Carton Qty: 5

LED PANEL | 60CM X 60CM | 4000K | 34 WATT



Ordercode: 174-146
Input: 230V
Power: 34 Watt
Color temperature: 4000K
Color: Natural White
Lumen: 3500

Beam: 120°
Length: 595 mm
Width: 595 mm
Depth: 16 mm
Connection type: Euro plug

Dimmable: Optional
 (with triac dimm. driver 215-252)
LED type: SMD 3014
IP rate: IP20
Carton Qty: 5

LED PANEL | 60CM X 60CM | 3000K | 34 WATT



Ordercode: 174-145
Input: 230V
Power: 34 Watt
Color temperature: 3000K
Color: Warm White
Lumen: 3220

Beam: 120°
Length: 595 mm
Width: 595 mm
Depth: 16 mm
Connection type: Euro plug

Dimmable: Optional
 (with triac dimm. driver 215-252)
LED type: SMD 3014
IP rate: IP20

LED PANEL | 60CM X 60CM | RGB

Controllable LED panel



Ordercode: 174-041
Input: 24V
Power: 30 Watt
Beam: 120°
Length: 595 mm

Width: 595 mm
Depth: 16 mm
Wire length: 2 m
Connection type: Stripped wire
Dimmable: Yes

LED type: SMD 3014
IP rate: IP20
Carton Qty: 5

LED PANEL | 30CM X 120CM | WHITE



Ordercode: 174-036
Input: 230V
Power: 50 Watt
Beam: 120°
Lumen: 3350

Color temperature: 6000K
Length: 1197 mm
Width: 297 mm
Depth: 16 mm
Wire length: 90 cm

Connection type: Schuko
Dimmable: No
LED type: SMD 3014
IP rate: IP20
Carton Qty: 5

LED PANEL | 30CM X 120CM | 4000K | 34 WATT



Ordercode: 174-144
Input: 230V
Power: 34 Watt
Color temperature: 4000K
Color: Natural White
Lumen: 3300

Beam: 120°
Length: 1195 mm
Width: 295 mm
Depth: 16 mm
Connection type: Euro plug

Dimmable: Optional
 (with triac dimm. driver 215-252)
LED type: SMD 3014
IP rate: IP20
Carton Qty: 5

LED PANEL | 30CM X 120CM | 3000K | 34 WATT



Ordercode: 174-143
Input: 230V
Power: 34 Watt
Color temperature: 3000K
Color: Warm White
Lumen: 3060

Beam: 120°
Length: 1195 mm
Width: 295 mm
Depth: 16 mm
Connection type: Euro plug

Dimmable: Optional
 (with triac dimm. driver 215-252)
LED type: SMD 3014
IP rate: IP20
Carton Qty: 5



SUSPENSION KIT FOR LED PANELS 174-143/144/145/146 | ADJUSTABLE MAX. 150CM

Ordercode: 174-050



SURFACE MOUNTING KIT 60*60 | FOR PANEL

Ordercode: 174-101
Length: 600 mm

Width: 600 mm
Height: 70 mm



SURFACE MOUNTING KIT 30*120 | FOR PANEL LIGHT

Ordercode: 174-103
Length: 1200 mm

Width: 300 mm
Height: 70 mm



LED PANEL ROUND | 12,4CM | 3000K | 5 WATT | NON DIMMABLE

Ordercode: 174-080
Input: 230V
Power: 5 Watt
Color temperature: 3000K
Color: Warm White
Lumen: 380

Beam: 120°
Diameter: 124 mm
Mounting hole: 110 mm
Depth: 16 mm
Wire length: 2 m
Connection type: Euro plug

Dimmable: Optional
(with triac dimm. driver 215-349)
LED type: SMD 3014
IP rate: IP20



LED PANEL ROUND | 12,4CM | 4000K | 5 WATT | NON DIMMABLE

Ordercode: 174-014
Input: 230V
Power: 5 Watt
Color temperature: 4000K
Color: Natural White
Lumen: 380

Beam: 120°
Diameter: 124 mm
Mounting hole: 110 mm
Depth: 16 mm
Wire length: 2 m
Connection type: Euro plug

Dimmable: Optional
(with triac dimm. driver 215-349)
LED type: SMD 3014
IP rate: IP20

Panels



LED PANEL ROUND | 15CM | 3000K | 7 WATT | DIMMABLE

Ordercode: 174-009
Input: 230V
Power: 7 Watt
Color temperature: 3000K

Color: Warm White
Diameter: 135 mm
Connection type: Euro plug
Dimmable: Yes

LED type: SMD 3014
IP rate: IP20



LED PANEL ROUND | 15CM | 3000K | 7 WATT | NON DIMMABLE

Ordercode: 174-081
Input: 230V
Power: 7 Watt
Color temperature: 3000K
Color: Warm White
Lumen: 480

Beam: 120°
Diameter: 150 mm
Mounting hole: 135 mm
Depth: 16 mm
Wire length: 2 m
Connection type: Euro plug

Dimmable: Optional
(with triac dimm. driver 215-349)
LED type: SMD 3014
IP rate: IP20



LED PANEL ROUND | 18CM | 3000K | 9 WATT | NON DIMMABLE

Ordercode: 174-082
Input: 230V
Power: 9 Watt
Color temperature: 3000K
Color: Warm White
Lumen: 620

Beam: 120°
Diameter: 180 mm
Mounting hole: 160 mm
Depth: 16 mm
Wire length: 2 m
Connection type: Euro plug

Dimmable: Optional
(with triac dimm. driver 215-349)
LED type: SMD 3014
IP rate: IP20



LED PANEL ROUND | 18CM | 4000K | 9 WATT | NON DIMMABLE

Ordercode: 174-016
Input: 230V
Power: 9 Watt
Color temperature: 4000K
Color: Natural White
Lumen: 620

Beam: 120°
Diameter: 180 mm
Mounting hole: 160 mm
Depth: 16 mm
Wire length: 2 m
Connection type: Euro plug

Dimmable: Optional
(with triac dimm. driver 215-349)
LED type: SMD 3014
IP rate: IP20



LED PANEL ROUND | 20CM | 3000K | 12 WATT | DIMMABLE

Ordercode: 174-011
Input: 230V
Power: 12 Watt
Color temperature: 3000K

Color: Warm White
Diameter: 200 mm
Mounting hole: 185 mm
Connection type: Euro plug

Dimmable: Yes

Panels



LED PANEL ROUND | 24CM | 3000K | 14 WATT | DIMMABLE

Ordercode: 174-012
Input: 230V
Power: 14 Watt
Color temperature: 3000K
Color: Warm White
Lumen: 880

Beam: 120°
Diameter: 240 mm
Mounting hole: 225 mm
Depth: 16 mm
Wire length: 2 m
Connection type: Euro plug

Dimmable: Yes
LED type: SMD 3014
IP rate: IP20



LED PANEL ROUND | 24CM | 4000K | 14 WATT | NON DIMMABLE

Ordercode: 174-018
Input: 230V
Power: 14 Watt
Color temperature: 4000K
Color: Natural White
Lumen: 880

Beam: 120°
Diameter: 240 mm
Mounting hole: 225 mm
Depth: 16 mm
Wire length: 2 m
Connection type: Euro plug

Dimmable: No
LED type: SMD 3014
IP rate: IP20



Office application with LED panel art. 174-046