



Cove Light

Perfect for indirect lighting and
angle-dependant outlining purposes

Cove Light

COVE LIGHT SILICON | 24V | 20M

Waterproof flexible LED Strips, silicon based for high endurance




Input: 24V
Power p/m: 14,4 Watt
LED qty: 60 LED/Meter
LED type: SMD5050
Dimmable: Yes
IP rate: IP65

Length: 20 meter
Width: 14,5 mm
Height: 7 mm
Connection type: Stripped wire
Power Cable: Included (0,3 meter)
Material: Silicon based



ART. NR.	COLOR TEMP. (CCT)	COLOR	LENGTH	CUTTING DISTANCE	MAX. TO CONNECT
075-080	2700K	○ Warm White	20 meter	50 cm	20 meter
075-081	4000K	○ Natural White	20 meter	50 cm	20 meter



ART. NR. ACCESSORIES | COVE LIGHT SILICON 24V

075-082	Power Cable 0,3 m & End Cap
075-225	Aluminium Channel - 2 m



Art. nr. 075-082



Art. nr. 075-225

COVE LIGHT | 24V | 30M




Input: 24V
Power p/m: 3,6 Watt
LED qty: 50 LED/Meter
LED type: SMD3528
Dimmable: Yes

IP rate: IP65
Length: 30 meter
Width: 12 mm
Height: 6 mm
Connection type: Stripped wire



ART. NR.	COLOR TEMP. (CCT)	COLOR	LENGTH	CUTTING DISTANCE	MAX. TO CONNECT
075-071	5000K	○ White	30 meter	20 cm	30 meter



ART. NR. ACCESSORIES | COVE LIGHT 24V

076-006	End Cap
076-007	Mounting Clip
076-008	Splice connector
076-009	Corner connector - 15 cm
076-010	Power cable with DC plug - 1 m
076-017	Power cable with stripped wire -1 m
076-011	Aluminium channel - 2 m
076-016	PET channel with tape - 1 m
076-015	Converter cable 2 pin to dc plug



Art. nr. 076-006



Art. nr. 076-007



Art. nr. 076-008



Art. nr. 076-009



Art. nr. 076-010



Art. nr. 076-011



Art. nr. 076-017



Art. nr. 076-016



Art. nr. 076-015



